Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	(v-ring) near2 cylinder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ΘN	2005/02/17 14:09
	5	(knife near2 edged) near3 (ring near3 cylinder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 12:17
L3	56	clipping near2 punch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 12:27
L4	15	(("4192414") or ("4203359") or ("4890475") or ("5054353") or ("5749279") or ("3802310")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 12:28
L5	11	("6408726" "5749279" "5673601" "5136521" "3802310").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 14:11
L6	5	("6408726" "5749279" "5673601" "5136521" "3802310").PN.	US-PGPUB; USPAT	OR	ON	2005/02/17 15:15

L7	99	("4969344" "5868555" "5975858"	US-PGPUB;	OR	ON	2005/02/17 15:16
		"5651301" "4471304" "5516082"	USPAT	<u> </u>		, ,
		"4290577" "4293115" "4363261"				
		"4363380" "4423748" "4463590"			,	
		"4543812" "4549482" "4796453"		ĺ		,
		"4874309" "4925115" "4954074"		<u> </u>		
		"5213031" "5390527" "5460708"				
		"5472298" "5572902" "5647427"				
į						;
	["5682786" "5799532" "5810119"				
-		"5829490" "6006578" "6068245"				
		"6125681" "6135214" "6490904"				
-		"6821104" "4465441" "5651335"				
		"4307693" "4768629" "4828337"			·	
		"4960188" "5419242" "5553713"				
		"5636561" "5651634" "5743362"				
	į	"6024011" "6325192" "6405846"				
		"6418894" "5477725").pn.				
:		("5826504" "6370931" "5825108"				
		"4248545" "4316379" "4326 4 01"				
		"4762329" "4925058" "5306325"				
		"5423403" "5857375" "6240818"				
		"4362037" "4471687" "4611483"				
		"5009091" "5245900" "5526738"				
		"5787926" "4064726" "4322960"				
		"6718870" "4399472" "4425838"				
		"4566372" "6010311" "4930330"				
		"5482442" "5596864" "6189444"			ļ	
ĺ]	"4359930" "4394861" "4523639"				
		"4861259" "5272902" "5313816"	-			
		"5400499" "5411564" "5495834"				
		"5626071" "5839353" "5954784"				
		"5988608" "6224333" "6224333"				
,		"3627336" "3592106" "3704619"				
]	"3670557" "3636816").pn.				
1.0	40	("F026F04" "6270021" "F02F100"	HIC DODIES	OD	ON	2005/02/17 15:16
L8	49	("5826504" "6370931" "5825108"	US-PGPUB;	OR	ON	2005/02/17 15:16
		"4248545" "4316379" "4326401"	USPAT			
		"4762329" "4925058" "5306325"				
		"5423403" "5857375" "6240818"				
		"4362037" "4471687" "4611483"				
		"5009091" "5245900" "5526738"				
		"5787926" "4064726" "4322960"				
		"6718870" "4399472" "4425838"				
		"4566372" "6010311" "4930330"				
		"5482442" "5596864" "6189 444 "				
		"4359930" "4394861" "4523639"				
		"4861259" "5272902" "5313816"				
		"5400499" "5411564" "5495834"				
		"5626071" "5839353" "5954784"				
		"5988608" "6224333" "6224333"				
		"3627336" "3592106" "3704619"				
		"3670557" "3636816").pn.				

L9	50	("4969344" "5868555" "5975858" "5651301" "4471304" "5516082" "4290577" "4293115" "4363261" "4363380" "4423748" "4463590" "4543812" "4549482" "4796453" "4874309" "4925115" "4954074" "5213031" "5390527" "5460708" "5472298" "5572902" "5647427" "5682786" "5799532" "5810119" "5829490" "6006578" "6068245" "6125681" "6135214" "6490904" "6821104" "4465441" "5651335" "4307693" "4768629" "4828337" "4960188" "5419242" "5553713" "5636561" "5651634" "5743362" "6024011" "6325192" "6405846" "6418894" "5477725").pn.	US-PGPUB; USPAT	OR	ON	2005/02/17 15:16
S1	6	(v-ring or (v near2 ring)) near2 cylinder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 19:53
S2	25	(v-ring or (v near2 ring)) near2 cylinder	USOCR	OR	ON	2004/06/27 19:42
S3	7079	tappet	USOCR	OR	ON	2004/06/27 19:42
S4	11735	tappet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 19:42
S5	31	tappet and "83"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 19:45
S6	4166	(ejector or ejecting) and (blanking or punch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 19:48
\$7.	4	(v-ring) near2 cylinder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 11:35
S8	21451	(v ring) near2 cylinder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 19:53

S9	6	(v near2 ring) near2 cylinder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 19:55
S10	744	compensation near2 cylinder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 20:05
S11	248	(hydraulic or hydraulically) near2 equilibrium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 19:57
S12	6	(compensation near2 cylinder) and "83"/\$:ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 19:57
S13		((hydraulic or hydraulically) near2 equilibrium) and "83"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 19:58
S14	408	(83/639.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/27 21:03
S15	673702	(compensation near2 cylinder) or buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 20:05
S16	391	((compensation near2 cylinder) or buffer) and "83"/\$:ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 20:06
S17	1	(((compensation near2 cylinder) or buffer) and "83"/\$.ccls.) and ((hydraulic or hydraulically) near2 equilibrium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 20:06
S18	0	"6408726".URPN.	USPAT	OR	ON	2004/06/27 20:09

S19		("1903234" "1908563" "2123683" "2182162" "2211864" "3029677" "3392613" "3640167" "3667305" "3739669" "3779122" "3802310" "4387583" "4672831" "4901427" "4979415" "5052208" "5077998" "5136521" "5295938" "5325755" "5662016").PN.	USPAT	OR	ON	2004/06/27 20:09
S20	9	"5673601".URPN.	USPAT	OR	ON	2004/06/27 20:16
S21	10	("3827328" "4116122" "4214496" "4633720" "4833884" "4945742" "5299478" "5345861" "5361615" "5390574").PN.	USPAT .	OR	ON	2004/06/27 20:18
S22	14	"3570343".URPN.	USPAT	OR	ON	2004/06/27 20:32
S23	5	("1428174" "2579940" "3107567" "3111053" "3119292").PN.	USPAT	OR	ON	2004/06/27 20:34
S24	101	(83/639.5).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/27 21:14
S25	1468	((83/615) or (83/623) or (83/55) or (83/694)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/27 21:15
S26	1413	(((83/615) or (83/623) or (83/55) or (83/694)).CCLS.) not (((83/639.5).CCLS.) or ((83/639.1).CCLS.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 07:38
S27	398	(83/685).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/28 07:38
S28	1916	((83/55) or (83/639.1) or (83/639. 5) or (83/694) or (83/615) or (83/623)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/28 07:38

S29	350	((83/685).CCLS.) not (((83/55) or (83/639.1) or (83/639.5) or (83/694) or (83/615) or (83/623)). CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 07:46
S30	54963	(equal or equalized) near2 (pressure or pressurized or pressurizing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 07:47
S31	112	((equal or equalized) near2 (pressure or pressurized or pressurizing)) and "83"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 07:49
S32	, 31	((equal or equalized) near2 (pressure or pressurized or pressurizing)) and "83"/\$.ccls. and (punch or die)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 07:51
S33	30	((equal or equalized) near2 (pressure or pressurized or pressurizing)) and "83"/\$.ccls. and (punch or die)	USOCR	OR	ON	2004/06/28 07:51

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
Li	8	(v-ring) near2 cylinder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 14:09
L2	5	(knife near2 edged) near3 (ring near3 cylinder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 12:17
L3	56	clipping near2 punch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 12:27
L4	15	(("4192414") or ("4203359") or ("4890475") or ("5054353") or ("5749279") or ("3802310")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/02/17 12:28
L5	11	("6408726" "5749279" "5673601" "5136521" "3802310").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 14:11
L6	5	("6408726" "5749279" "5673601" "5136521" "3802310").PN.	US-PGPUB; USPAT	OR	ON	2005/02/17 15:15

		,				
L7	99	("4969344" "5868555" "5975858" "5651301" "4471304" "5516082" "4290577" "4293115" "4363261" "4363380" "4423748" "4463590" "4543812" "4549482" "4796453" "4874309" "4925115" "4954074" "5213031" "5390527" "5460708" "5472298" "5572902" "5647427" "5682786" "5799532" "5810119" "5829490" "6006578" "6068245" "6125681" "6135214" "6490904" "6821104" "4465441" "5651335" "4307693" "4768629" "4828337" "4960188" "5419242" "5553713" "5636561" "5651634" "5743362" "6024011" "6325192" "6405846" "6418894" "5477725").pn. ("5826504" "6370931" "5825108" "4248545" "4316379" "4326401" "4762329" "4925058" "5306325" "5423403" "5857375" "6240818" "4362037" "4471687" "4611483" "5009091" "5245900" "5526738" "5787926" "4064726" "4322960" "6718870" "4399472" "4425838" "4566372" "6010311" "4930330" "5482442" "5596864" "6189444" "4359930" "4394861" "4523639" "4861259" "5272902" "5313816" "5400499" "5411564" "5495834" "5526738" "5788608" "6224333" "6224333" "3627336" "3592106" "3704619"	US-PGPUB; USPAT	OR	ON	2005/02/17 15:16
L8	49	"3670557" "3636816").pn. ("5826504" "6370931" "5825108" "4248545" "4316379" "4326401" "4762329" "4925058" "5306325" "5423403" "5857375" "6240818" "4362037" "4471687" "4611483" "5009091" "5245900" "5526738" "5787926" "4064726" "4322960" "6718870" "4399472" "4425838" "4566372" "6010311" "4930330" "5482442" "5596864" "6189444" "4359930" "4394861" "4523639" "4861259" "5272902" "5313816" "5400499" "5411564" "5495834" "5988608" "6224333" "6224333" "3627336" "3592106" "3704619" "3670557" "3636816").pn.	US-PGPUB; USPAT	OR	ON	2005/02/17 15:16

L9	50	("4969344" "5868555" "5975858" "5651301" "4471304" "5516082" "4290577" "4293115" "4363261" "4363380" "4423748" "4463590" "4543812" "4549482" "4796453" "4874309" "4925115" "4954074" "5213031" "5390527" "5460708" "5472298" "5572902" "5647427" "5682786" "5799532" "5810119" "5829490" "6006578" "6068245" "6125681" "6135214" "6490904" "6821104" "4465441" "5651335" "4307693" "4768629" "4828337" "4960188" "5419242" "5553713" "5636561" "5651634" "5743362" "6024011" "6325192" "6405846"	US-PGPUB; USPAT	OR	ON	2005/02/17 15:16
		"6418894" "5477725").pn.				
S1	6	(v-ring or (v near2 ring)) near2 cylinder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 19:53
S2	25	(v-ring or (v near2 ring)) near2 cylinder	USOCR	OR	ON	2004/06/27 19:42
S3	7079	tappet	USOCR	OR	ON	2004/06/27 19:42
S4	11735	tappet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 19:42
S5	31	tappet and "83"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 19:45
S6	4166	(ejector or ejecting) and (blanking or punch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 19:48
S7	4	(v-ring) near2 cylinder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 11:35
S8	21451	(v ring) near2 cylinder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 19:53

S9	6	(v near2 ring) near2 cylinder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 19:55
S10	744	compensation near2 cylinder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 20:05
S11	248	(hydraulic or hydraulically) near2 equilibrium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 19:57
S12	6	(compensation near2 cylinder) and "83"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 19:57
S13	1	((hydraulic or hydraulically) near2 equilibrium) and "83"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 19:58
S14	408	(83/639.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/27 21:03
S15	673702	(compensation near2 cylinder) or buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 20:05
S16	391	((compensation near2 cylinder) or buffer) and "83"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 20:06
S17	1	(((compensation near2 cylinder) or buffer) and "83"/\$.ccls.) and ((hydraulic or hydraulically) near2 equilibrium)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/27 20:06
S18	0	"6408726".URPN.	USPAT	OR	ON	2004/06/27 20:09

S19	22	("1903234" "1908563" "2123683" "2182162" "2211864" "3029677" "3392613" "3640167" "3667305" "3739669" "3779122" "3802310" "4387583" "4672831" "4901427" "4979415" "5052208" "5077998" "5136521" "5295938" "5325755" "5662016").PN.	USPAT	OR	ON	2004/06/27 20:09
S20	9	"5673601".URPN.	USPAT	OR	ON	2004/06/27 20:16
S21	10	("3827328" "4116122" "4214496" "4633720" "4833884" "4945742" "5299478" "5345861" "5361615" "5390574").PN.	USPAT	OR	ON	2004/06/27 20:18
S22	14	"3570343".URPN.	USPAT	OR	ON	2004/06/27 20:32
S23	5	("1428174" "2579940" "3107567" "3111053" "3119292").PN.	USPAT	OR	ON	2004/06/27 20:34
S24	101	(83/639.5).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/27 21:14
S25	1468	((83/615) or (83/623) or (83/55) or (83/694)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/27 21:15
S26	1413	(((83/615) or (83/623) or (83/55) or (83/694)).CCLS.) not (((83/639.5).CCLS.) or ((83/639.1).CCLS.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 07:38
S27	398	(83/685).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/28 07:38
S28	1916	((83/55) or (83/639.1) or (83/639. 5) or (83/694) or (83/615) or (83/623)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/28 07:38

S29	350	((83/685).CCLS.) not (((83/55) or (83/639.1) or (83/639.5) or (83/694) or (83/615) or (83/623)). CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 07:46
S30	54963	(equal or equalized) near2 (pressure or pressurized or pressurizing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 07:47
S31	112	((equal or equalized) near2 (pressure or pressurized or pressurizing)) and "83"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 07:49
S32	31	((equal or equalized) near2 (pressure or pressurized or pressurizing)) and "83"/\$.ccls. and (punch or die)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/28 07:51
S33	30	((equal or equalized) near2 (pressure or pressurized or pressurizing)) and "83"/\$.ccls. and (punch or die)	USOCR	OR	ON	2004/06/28 07:51

PLUS Search Results for S/N 10018609, Searched February 17, 2005

The Patent Linguistics Utility System (PLUS) is a USPTO automated sear ch

system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that a re

most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

```
5826504
4969344
5868555
         6370931
         5825108
5975858
5651301
         4248545
4471304
         4316379
5516082
         4326401
4290577
         4762329
4293115
         4925058
4363261
         5306325
4363380
         5423403
4423748
         5857375
4463590
         6240818
4543812
         4362037
4549482
         4471687
4796453 4611483
4874309
         5009091
4925115
         5245900
4954074
         5526738
5213031
         5787926
5390527
         4064726
5460708
         4322960
5472298
         6718870
5572902
         4399472
5647427
         4425838
5682786
         4566372
5799532
         6010311
5810119
         4930330
5829490
         5482442
6006578
         5596864
6068245
         6189444
6125681
         4359930
6135214
         4394861
6490904
         4523639
6821104
         4861259
4465441
         5272902
```

10018609_LIST.txt

5651335	5313816
4307693	5400499
4768629	5411564
4828337	5495834
4960188	5626071
5419242	5839353
5553713	5954784
5636561	5988608
5651634	6224333
5743362	6224333
6024011	3627336
6325192	3592106
6405846	3704619
6418894	3670557
5477725	3636816

10018609_QUAL.txt

4796453 49	4796	3555 36858 301 304 5082 577 3115 3261 3380 3748 3590 3812 3482 3453	
	4796 4872 4872 4872 4954 4954 5396 5546 5579 5647 55647 55647 55647 5649 6649 6446 6446 649	3453 3115 3074 3072 3072 3072 3072 3072 3072 3072 3072	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4

10018609_QUAL.txt

10018609_QUAL.txt

3592106	41
3704619	41
3670557	41
3636816	41

10018609 CLS.txt

Most Frequently Occurring Classifications of Patents Returned From A Search of 10018609 on February 17, 2005

```
72/348
  2
      72/351
  2
      72/355.4
  2
     72/402
  2
    123/90.16
    192/70.25
  2 251/1.3
  2
     415/158
     417/222.1
Cross-Reference Classifications
      72/347
  3
      72/453.13
  3
      92/24
     417/273
  3
  3
     425/590
  2
      29/889.1
  2
      29/889.2
  2
      60/443
  2
      60/602
  2
      72/21.1
  2
      72/344
  2
      72/377
  2
      72/427
  2
     72/446
  2
      72/462
  2
      72/481.1
  2
      83/639.1
  2
      91/497
  2
      92/122
  2
      92/168
  2
      92/17
      92/5R
  2
  2
     92/85B
  2
    100/259
     100/269.14
  2
     267/119
  2
    425/451.9
  2
     425/595
```

Original Classifications

Combined Classifications

4 72/347

4 72/348

10018609_CLS.txt

3 72/446 3 72/453.13 . 3 92/168 3 92/24 3 251/1.3 3 417/273 3 425/590 2 29/889.1 2 29/889.2 2 60/443 2 60/602 2 72/21.1 2 72/344 2 72/350 2 72/351 2 72/355.4 2 72/377 2 72/402 2 72/427 2 72/462 2 72/481.1 2 83/137 2 83/639.1 2 91/497 2 92/122 2 92/13.8 2 92/17 2 92/5R 2 92/85B 2 100/259 2 100/269.14 2 123/90.16 2 192/70.25 2 267/119 2 415/158 2 417/219 2 417/222.1 2 425/150 2 425/451.2 2 425/451.9

425/595

10018609_CLSTITLES.txt
Titles of Most Frequently Occurring Classifications of Patents Returne

From A Search of 10018609 on February 17, 2005

4	-,	OR, 3 XR) : METAL DEFORMING BY USE OF CLOSED-DIE AND COACTING WORK-FORCER (E.G., PUSH-DRAWING) .Cup or shell drawing (i.e., deep drawing)
4		OR, 0 XR) : METAL DEFORMING BY USE OF CLOSED-DIE AND COACTING WORK-FORCER (E.G., PUSH-DRAWING) .Cup or shell drawing (i.e., deep drawing)With additional metal-deforming
3	•	OR, 2 XR) : METAL DEFORMING WITH MEANS TO DRIVE TOOL .With means to permit tool positioning
3	72/453.13 (0 Class 072 72/429 72/453.01 72/453.13	<pre>: METAL DEFORMING WITH MEANS TO DRIVE TOOL .Including pneumatic- or fluid-actuated tool support</pre>
3	92/168 (1 Class 092 92/165R 92/168	OR, 2 XR) : EXPANSIBLE CHAMBER DEVICES WITH GUIDE OR SEAL ON CYLINDER END PORTION FOR PISTON OR MEMBER MOVED BY PISTON .Non-metallic seal means between piston or member and end portion
3		OR, 3 XR) : EXPANSIBLE CHAMBER DEVICES WITH RELEASABLE STOP OR LATCH MEANS TO PREVENT MOVEMENT OF WORKING MEMBER .Means includes element interfitting between working member and fixed partElement actuated or retained in operative position by relatively movable fluid respon
sive	member	

```
10018609 CLSTITLES.txt
    251/1.3
                  (2 OR, 1 XR)
          Class
                 251 : VALVES AND VALVE ACTUATION
          251/1.1
                       BLOW-OUT PREVENTERS (I.E., COOPERATING SEGMENT
S
                           OF ANNULUS)
          251/1.3
                        .Radial reciprocating ram
  3 417/273 (0 OR, 3 XR)
          Class 417 : PUMPS
          417/269
                        THREE OR MORE CYLINDERS ARRANGED IN PARALLEL,
                           RADIAL, OR CONICAL RELATIONSHIP WITH ROTAR
Y TRANSMISSION
                           AXIS
          417/273
                        .Radial cylinders
  3 425/590
                  (0 OR, 3 XR)
          Class
                 425 : PLASTIC ARTICLE OR EARTHENWARE SHAPING OR
                          TREATING: APPARATUS
                       FEMALE MOLD AND CHARGER TO SUPPLY FLUENT STOCK
          425/542
                            UNDER PRESSURE THERETO IN FLUID-TIGHT REL
ATIONSHIP (E.G.,
                            INJECTION MOLD, ETC.)
          425/589
                        .With means to close mold
                        .. Varying pressure and/or speed closing
          425/590
  2
     29/889.1
                  (0 OR, 2 XR)
          Class
                 029 : METAL WORKING
          29/592
                       METHOD OF MECHANICAL MANUFACTURE
                      .Impeller making
          29/889
          29/889.1
                       .. Repairing or disassembling
  2
     29/889.2
                  (0 OR, 2 XR)
         Class
                 029 : METAL WORKING
          29/592
                       METHOD OF MECHANICAL MANUFACTURE
                     .Impeller making
         29/889
         29/889.2
                      .. Turbomachine making
  2
      60/443
                  (0 OR, 2 XR)
         Class
                 060 : POWER PLANTS
          60/325
                       PRESSURE FLUID SOURCE AND MOTOR
          60/443
                       .Servo-motor having externally operated contro
1
                          valve sets motor or pump displacement
      60/602
 2
                  (0 OR, 2 XR)
                 060 : POWER PLANTS
         Class
          60/597
                       FLUID MOTOR MEANS DRIVEN BY WASTE HEAT OR BY
                            EXHAUST ENERGY FROM INTERNAL COMBUSTION E
```

10018609 CLSTITLES.txt NGINE 60/598 .With supercharging means for engine .. Having condition responsive valve controllin 60/602 g engine exhaust flow (0 OR, 2 XR) 2 72/21.1 Class 072 : METAL DEFORMING 72/6.1 WITH USE OF CONTROL MEANS ENERGIZED IN RESPONS Ε TO ACTIVATOR STIMULATED BY CONDITION SENS OR 72/20.1 .Sensing tool or tool-linked part 72/21.1 .. Including plural sensors or sensor responsiv е to plural conditions 2 72/344 (0 OR, 2 XR) 072: METAL DEFORMING Class BY USE OF CLOSED-DIE AND COACTING WORK-FORCER 72/343. (E.G., PUSH-DRAWING) .With stripping or ejecting from tool 72/344 2 (1 OR, 1 XR) 72/350 072: METAL DEFORMING Class 72/343 BY USE OF CLOSED-DIE AND COACTING WORK-FORCER (E.G., PUSH-DRAWING) .Cup or shell drawing (i.e., deep drawing) 72/347 .. With application of frictional restraining 72/350 force to work during deformation 2 72/351 (2 OR, 0 XR) 072 : METAL DEFORMING Class BY USE OF CLOSED-DIE AND COACTING WORK-FORCER 72/343 (E.G., PUSH-DRAWING) 72/347 .Cup or shell drawing (i.e., deep drawing) .. With application of frictional restraining 72/350 force to work during deformation 72/351 ...With yieldable actuation of work-gripper (e.g., spring-biased blank-holder) (2 OR, 0 XR) 2 72/355.4 072: METAL DEFORMING Class BY USE OF CLOSED-DIE AND COACTING WORK-FORCER 72/343 (E.G., PUSH-DRAWING) 72/352 .Forcing work into or within closed die; e.g.,

72/353.2

.. By two or more coacting tools movable

10018609 CLSTITLES.txt relative to closed die; e.g., tool compl ex ...One tool telescoping into closed die 72/354.6 72/355.2Coaxial opposed toolsPassing through work; e.g., punch 72/355.4 2 (0 OR, 2 XR) 72/377 072: METAL DEFORMING Class 72/362 PROCESS .With attenuation, thickening; elongating or 72/377 shortening of work material 2 72/402 (2 OR, 0 XR) Class 072 : METAL DEFORMING BY THREE OR MORE COACTING RELATIVELY MOVABLE 72/394 TOOLS (I.E., TOOL-COMPLEX) .Concurrently actuated tools 72/399 72/402 .. All tools movable radially inward 2 72/427 (0 OR, 2 XR) 072: METAL DEFORMING Class 72/419 WITH MEANS TO HANDLE WORK OR PRODUCT 72/426 .Including product handling means ..Ejector 72/427 2 72/462 (0 OR, 2 XR) 072: METAL DEFORMING Class 72/462 TOOL AND/OR TOOL HOLDER 2 72/481.1 (0 OR, 2 XR) 072: METAL DEFORMING Class 72/462 TOOL AND/OR TOOL HOLDER 72/476 .Having unitary tool-face .. With support or holder for adjustable or 72/481.1 removable tool face 2 83/137 (1 OR, 1 XR) 083 : CUTTING Class WITH PRODUCT HANDLING MEANS 83/78 83/109 .Means to move, guide, or permit free fall or flight of product 83/111 .. Means to move product out of contact with tool 83/129 ... Moving stripper timed with tool stroke 83/136 Carried by moving tool element or its support

.....Fluid pressure actuated stripper

83/137

				10018609 CLSTITLES.txt
	2	83/639.1	(0	OR, 2 XR)
				: CUTTING
		83/523 83/613		MEANS TO DRIVE OR TO GUIDE TOOL
		83/613		.With simple rectilinear reciprocating motion
		83/639.1	1	only Fluid pressure actuated
		63/639.	L	riulu piessule accuated
	2	91/497	(0	OR, 2 XR)
		Class	091	: MOTORS: EXPANSIBLE CHAMBER TYPE
		91/472		THREE OR MORE CYLINDERS ARRANGED IN PARALLEL
				RADIAL OR CONICAL RELATIONSHIP WITH ROTAR
Y	TRAN	NSMISSION		AVIO
		91/491		AXIS .Radially disposed cylinders
		91/491		Stroke control
		91/49/		Scioke control
	2	92/122	(0	OR, 2 XR)
				: EXPANSIBLE CHAMBER DEVICES
		92/120		OSCILLATING WORKING MEMBER OR CYLINDER THEREFO
R				
		00/101		
		92/121		.Oscillatory shaft with radially extending van
е				·
		92/122		Plural angularly related vanes
		·		
				·
	2	92/13.8		
	2	Class.	092	: EXPANSIBLE CHAMBER DEVICES
	2		092	: EXPANSIBLE CHAMBER DEVICES DISPLACEMENT CONTROL OF PLURAL CYLINDERS
T. T.		Class 92/12.1	092	: EXPANSIBLE CHAMBER DEVICES
EI		Class.	092	: EXPANSIBLE CHAMBER DEVICES DISPLACEMENT CONTROL OF PLURAL CYLINDERS ARRANGED IN PARALLEL, RADIAL, OR CONICAL R
EI		Class 92/12.1 ONSHIP WITH	092	: EXPANSIBLE CHAMBER DEVICES DISPLACEMENT CONTROL OF PLURAL CYLINDERS ARRANGED IN PARALLEL, RADIAL, OR CONICAL R ROTARY TRANSMISSION AXIS
EI		Class 92/12.1	092	: EXPANSIBLE CHAMBER DEVICES DISPLACEMENT CONTROL OF PLURAL CYLINDERS ARRANGED IN PARALLEL, RADIAL, OR CONICAL R ROTARY TRANSMISSION AXIS .Adjustment means includes external axially
ΕI		Class 92/12.1 ONSHIP WITH 92/13.8	092	: EXPANSIBLE CHAMBER DEVICES DISPLACEMENT CONTROL OF PLURAL CYLINDERS ARRANGED IN PARALLEL, RADIAL, OR CONICAL R ROTARY TRANSMISSION AXIS .Adjustment means includes external axially extending threaded piston stem
ΕI		Class 92/12.1 ONSHIP WITH 92/13.8	092	: EXPANSIBLE CHAMBER DEVICES DISPLACEMENT CONTROL OF PLURAL CYLINDERS ARRANGED IN PARALLEL, RADIAL, OR CONICAL R ROTARY TRANSMISSION AXIS .Adjustment means includes external axially extending threaded piston stem OR, 2 XR)
EI	ATI(Class 92/12.1 ONSHIP WITH 92/13.8 92/17 Class	092	: EXPANSIBLE CHAMBER DEVICES DISPLACEMENT CONTROL OF PLURAL CYLINDERS ARRANGED IN PARALLEL, RADIAL, OR CONICAL R ROTARY TRANSMISSION AXIS .Adjustment means includes external axially extending threaded piston stem OR, 2 XR) : EXPANSIBLE CHAMBER DEVICES
EI	ATI(Class 92/12.1 ONSHIP WITH 92/13.8	092	: EXPANSIBLE CHAMBER DEVICES DISPLACEMENT CONTROL OF PLURAL CYLINDERS ARRANGED IN PARALLEL, RADIAL, OR CONICAL R ROTARY TRANSMISSION AXIS .Adjustment means includes external axially extending threaded piston stem OR, 2 XR) : EXPANSIBLE CHAMBER DEVICES WITH RELEASABLE STOP OR LATCH MEANS TO PREVENT
EI	ATI(Class 92/12.1 ONSHIP WITH 92/13.8 92/17 Class 92/15	092	: EXPANSIBLE CHAMBER DEVICES DISPLACEMENT CONTROL OF PLURAL CYLINDERS ARRANGED IN PARALLEL, RADIAL, OR CONICAL R ROTARY TRANSMISSION AXIS .Adjustment means includes external axially extending threaded piston stem OR, 2 XR) : EXPANSIBLE CHAMBER DEVICES WITH RELEASABLE STOP OR LATCH MEANS TO PREVENT MOVEMENT OF WORKING MEMBER
EI	ATI(Class 92/12.1 ONSHIP WITH 92/13.8 92/17 Class	092	: EXPANSIBLE CHAMBER DEVICES DISPLACEMENT CONTROL OF PLURAL CYLINDERS ARRANGED IN PARALLEL, RADIAL, OR CONICAL R ROTARY TRANSMISSION AXIS .Adjustment means includes external axially extending threaded piston stem OR, 2 XR) : EXPANSIBLE CHAMBER DEVICES WITH RELEASABLE STOP OR LATCH MEANS TO PREVENT MOVEMENT OF WORKING MEMBER .Engages member coaxial with and rotatable
EI	ATI(Class 92/12.1 ONSHIP WITH 92/13.8 92/17 Class 92/15	092	: EXPANSIBLE CHAMBER DEVICES DISPLACEMENT CONTROL OF PLURAL CYLINDERS ARRANGED IN PARALLEL, RADIAL, OR CONICAL R ROTARY TRANSMISSION AXIS .Adjustment means includes external axially extending threaded piston stem OR, 2 XR) : EXPANSIBLE CHAMBER DEVICES WITH RELEASABLE STOP OR LATCH MEANS TO PREVENT MOVEMENT OF WORKING MEMBER
EI	ATI(Class 92/12.1 ONSHIP WITH 92/13.8 92/17 Class 92/15	(0 092	: EXPANSIBLE CHAMBER DEVICES DISPLACEMENT CONTROL OF PLURAL CYLINDERS ARRANGED IN PARALLEL, RADIAL, OR CONICAL R ROTARY TRANSMISSION AXIS .Adjustment means includes external axially extending threaded piston stem OR, 2 XR) : EXPANSIBLE CHAMBER DEVICES WITH RELEASABLE STOP OR LATCH MEANS TO PREVENT MOVEMENT OF WORKING MEMBER .Engages member coaxial with and rotatable
EI	ATIO	Class 92/12.1 ONSHIP WITH 92/13.8 92/17 Class 92/15 92/17	(0 092 (0	: EXPANSIBLE CHAMBER DEVICES DISPLACEMENT CONTROL OF PLURAL CYLINDERS ARRANGED IN PARALLEL, RADIAL, OR CONICAL R ROTARY TRANSMISSION AXIS .Adjustment means includes external axially extending threaded piston stem OR, 2 XR) : EXPANSIBLE CHAMBER DEVICES WITH RELEASABLE STOP OR LATCH MEANS TO PREVENT MOVEMENT OF WORKING MEMBER .Engages member coaxial with and rotatable relative to working member
EI	ATIO	Class 92/12.1 ONSHIP WITH 92/13.8 92/17 Class 92/15 92/17	(0 092 (0	: EXPANSIBLE CHAMBER DEVICES DISPLACEMENT CONTROL OF PLURAL CYLINDERS ARRANGED IN PARALLEL, RADIAL, OR CONICAL R ROTARY TRANSMISSION AXIS .Adjustment means includes external axially extending threaded piston stem OR, 2 XR) : EXPANSIBLE CHAMBER DEVICES WITH RELEASABLE STOP OR LATCH MEANS TO PREVENT MOVEMENT OF WORKING MEMBER .Engages member coaxial with and rotatable relative to working member OR, 2 XR) : EXPANSIBLE CHAMBER DEVICES WITH (1) SIGNAL OR INDICATOR OR (2) INSPECTION
EI	ATIO	Class 92/12.1 DNSHIP WITH 92/13.8 92/17 Class 92/15 92/17	(0 092 (0	: EXPANSIBLE CHAMBER DEVICES DISPLACEMENT CONTROL OF PLURAL CYLINDERS ARRANGED IN PARALLEL, RADIAL, OR CONICAL R ROTARY TRANSMISSION AXIS .Adjustment means includes external axially extending threaded piston stem OR, 2 XR) : EXPANSIBLE CHAMBER DEVICES WITH RELEASABLE STOP OR LATCH MEANS TO PREVENT MOVEMENT OF WORKING MEMBER .Engages member coaxial with and rotatable relative to working member OR, 2 XR) : EXPANSIBLE CHAMBER DEVICES
EI	ATIO	Class 92/12.1 DNSHIP WITH 92/13.8 92/17 Class 92/15 92/17	(0 092 (0 092	: EXPANSIBLE CHAMBER DEVICES DISPLACEMENT CONTROL OF PLURAL CYLINDERS ARRANGED IN PARALLEL, RADIAL, OR CONICAL R ROTARY TRANSMISSION AXIS .Adjustment means includes external axially extending threaded piston stem OR, 2 XR) : EXPANSIBLE CHAMBER DEVICES WITH RELEASABLE STOP OR LATCH MEANS TO PREVENT MOVEMENT OF WORKING MEMBER .Engages member coaxial with and rotatable relative to working member OR, 2 XR) : EXPANSIBLE CHAMBER DEVICES WITH (1) SIGNAL OR INDICATOR OR (2) INSPECTION

```
10018609 CLSTITLES.txt
                       EXPANSIBLE CHAMBER DEVICES
                092:
        Class
        92/85R
                      WITH CUSHIONING MEANS EFFECTIVE OVER A PORTION
                          ONLY OF STROKE
        92/85B
                      .Fluid spring
  100/259
                 (0 OR, 2 XR)
                100 : PRESSES
        Class
        100/214
                      RECIPROCATING PRESS CONSTRUCTION
        100/259
                      .With plunger return cushioning
  100/269.14
                (0 OR, 2 XR)
                100 : PRESSES
        Class
        100/214
                      RECIPROCATING PRESS CONSTRUCTION
        100/269.01
                      .Fluid pressure actuation
        100/269.14
                      .. Fluid supply system detail
  123/90.16
                 (2 OR, 0 XR)
                123 : INTERNAL-COMBUSTION ENGINES
        Class
        123/90.1
                      POPPET VALVE OPERATING MECHANISM
        123/90.15
                      .With means for varying timing
        123/90.16
                      ..Cam-to-valve relationship
2 192/70.25
                 (2 OR, 0 XR)
                192 : CLUTCHES AND POWER-STOP CONTROL
        Class
        192/30R
                      CLUTCHES
        192/66.1
                      .Axially engaging
        192/70.11
                      .. Interposed, mating clutch-elements
        192/70.25
                      ...With adjustable means to move clutch-elemen
                       axially (e.g., to compensate for wear)
2
  267/119
                 (0 OR, 2 XR)
                267 : SPRING DEVICES
        Class
        267/113
                      FLUID
        267/118
                      .Expansible-contractible chamber device
        267/119
                      ..Press cushion
2 415/158
                 (2 OR, 0 XR)
        Class
                415 : ROTARY KINETIC FLUID MOTORS OR PUMPS
        415/148
                      SELECTIVELY ADJUSTABLE VANE OR WORKING FLUID
                            CONTROL MEANS
        415/151
                      .Upstream of runner
                      ...Single, axially movable cylinder or plate
        415/157
        415/158
                      ... Movable to position surrounding blade
2 417/219
                 (1 OR, 1 XR)
```

t

CONDITION RESPONSIVE CONTROL OF DRIVE

417 :

Class 417/212 PUMPS

	417/218 417/219	10018609_CLSTITLES.txt TRANSMISSION OR PUMP DISPLACEMENT .Adjustable cam or linkageRadially adjustable stator
2	417/222.1 (2 Class 417 417/212	: PUMPS CONDITION RESPONSIVE CONTROL OF DRIVE TRANSMISSION OR PUMP DISPLACEMENT
	417/218 417/222.1	.Adjustable cam or linkage Axial cam
2	425/150 (1 Class 425	OR, 1 XR) : PLASTIC ARTICLE OR EARTHENWARE SHAPING OR TREATING: APPARATUS
	425/135	CONTROL MEANS RESPONSIVE TO OR ACTUATED BY MEANS SENSING OR DETECTING A CONDITION OR
MATE	RIAL	
	425/150	TRIGGERED .Mold motion or position control
2	425/451.2 (1 Class 425	OR, 1 XR) : PLASTIC ARTICLE OR EARTHENWARE SHAPING OR TREATING: APPARATUS
	425/450.1	MOLD OPENING AND CLOSING MEANS AND SEGMENTED FEMALE MOLD
	425/451.2	
2	425/451.9 (0	OR, 2 XR) : PLASTIC ARTICLE OR EARTHENWARE SHAPING OR
	Class 425	TREATING: APPARATUS
	425/451.9	SEGMENTED FEMALE MOLD AND MOLD CLAMPING MEANS
2	425/595 (0	OR, 2 XR)
		: PLASTIC ARTICLE OR EARTHENWARE SHAPING OR TREATING: APPARATUS
	425/542	
m T 011	a	CAPER TREESONE THERETO IN THOIR RULE

INJECTION MOLD, ETC.)
.With means to lock mold in closed position

TIONSHIP (E.G.,

425/595

```
above 3
absorbed 2
accelerated 1
according 2
achieved 1
actual 1
added 1
addition 1
additional 3
advantages 1
after 1
aq 2
against 7
also 5
although 1
an 17
and 56
another 3
any 4
apart 1
apparatus 11
applying 1
appropriate 2
are 15
area 7
areas 1
arranged 6
arrow 1
as 14
assembly 2
assigned 4
associated 1
at 9
base 1
be 15
becomes 1
been 3
being 7
below 2
between 8
betweep 1
blanking 20
blankipg 1
book 1
both 1
bottom 2
briefly 2
by 11
```

can 6 capacity 1 case 4 chara 2 character 1 characterized 5 circuits 1 claim 4 claimed 7 claims 4 clamped 2 clipping 1 closed 1 column 5 compensated 2 compensation 22 compensation 1 complicated 1 comprises 1 comprising 3 configuration 1 connected 12 connecting 1 connection 7 considerably 1 consisting 1 construction 4 conventional 1 cording 1 corresponding 2 corresponds 1 counter 1 counterforce 3 counterholder 20 coupled 1 course 2 cropspie 1 cross 9 crosshead 8 crosspiece 3 cut 6 cutting 3 cyli 1 cylinder 46 cylinders 10 de 1 depending 1 derls 1

```
described 4
description 1
designed 1
detail 4
details 1
device 3
die 16
different 1
difficult 1
direction 1
diraction 1
dispensed 1
distribute 1
distribution 1
double 1
drawing 1
drawn 2
due 1
during 5
each 4
ed 1
edged 3
edition 2
effect 1
effected 1
effective 7
egrated 1
eject 1
ejected 1
ejector 5
elements 1
emanate 1
embodiment 3
en 1
energy 2
enough 1
entire 1
equal 3
equilibrium 2
essentially 1
example 2
exchange 2
exemplar 1
exemplary 1
exert 1
expenditure 1
expensive 1
fact 1
```

```
favorable 1
fb 1
fea 1
feintool 2
fewer 1
figure 1
fine 7
finely 2
finevblanking 1
firmly 4
follow 1
follows 1
for 16
force 9
forces 2
found 1
four 3
fr 1
frame 4
from 13
further 2
furthermore 1
generally 1
gives 2
greater 1
guided 9
handbuch 2
has 12
have 2
he 1
heavy 1
height 1
here 1
holder 1
housing 1
however 2
hydraulic 5
hydraulically 4
hydraulics 1
identified 2
improved 1
in 53
inserted 2
inside 1
integrated 1
intended 1
into 3
invent 1
```

```
invention 6
is 60
it 4
kept 1
knife 3
known 1
large 3
latter 2
least 7
likewise 1
line 2
located 1
logic 5
lyss 2
machine 10
made 1
main 5
maintaining 1
manner 1
manual 1
mass 2
material 5
may 2
means 4
mentioned 2
metal 8
mkterial 1
mode 1
more 6
motion 2
moved 1
movement 1
moves 1
moving 1
mpensation 1
ms 1
nd 2
necessary 4
neutralized 1
no 3
not 5
nullified 1
object 2
of 53
oil 5
on 9
once 1
one 11
```

```
only 1
opened 2
opens 1
operated 1
operating 1
operation 1
opposes 2
opposite 2
or 9
out 5
outside 1
over 1
page 11
pages 2
paratus 1
part 3
passes 1
patent 1
per 1
pillars 1
piston 20
pistonls 1
pistons 5
pistonts 1
place 3
placed 1
plate 29
plates 1
plurality 1
position 2
possibilities 1
possible 2
pparatus 1
praxis 2
preferably 1
preferred 1
present 3
press 16
pressed 1
presses 3
pressing 2
pressure 9
pressures 1
principle 1
probably 1
problem 1
process 2
produced 2
```

```
proposes 1
prove 1
provide 1
provided 2
publisher 2
punch 12
quantity 2
quickly 1
raised 1
ram 22
rams 1
rapid 2
reasons 2
redu 1
reduces 1
reference 2
relates 1
relative 2
required 1
requires 1
respect 1
result 1
ring 37
ripg 1
rod 5
rs 1
said 2
sake 1
same 3
saving 1
section 1
sectional 8
separate 1
serve 1
sh 1
she 1
sheet 7
should 1
shown 3
side 1
simple 1
simpler 1
simplest 1
simplicity 1
simplified 1
since 1
single 1
smaller 2
```

```
so 8
solid 1
solve 1
spaces 1
strength 1
stroke 8
subjected 2
substantially 5
such 2
sufficient 1
supply 1
supported 5
supporting 2
synchronism 1
take 1
taking 1
tank 6
tappet 2
terized 2
th 1
than 1
that 25
the 196
their 1
then 1
these 1
they 1
this 16
through 3
thus 2
tnd 1
to 43
together 1
tool 7
top 3
toward 1
traveling 1
turn 3
two 4
type 1
ufeinschneiden 1
under 2
up 2
upward 1
ures 1
urther 1
usually 2
valve 6
```

```
various 2
very 3
via 16
walls 1
way 5
wct 1
weight 1
when 1
whereby 1
which 28
will 1
with 11
work 1
working 4
workpiece 11
workpieces 5
would 1
ws 1
yfeinschneidene 1
zed 1
znxvvro 1
```